




1220 Marshall Street NE Minneapolis Minnesota 55413-1036 612.677.7100 612.677.7499 fax www.rsparch.com

NOTICE: The designs shown and described herein including all technical drawings, graphics, and models thereof, are proprietary and cannot be copied, duplicated or commercially exploited, in whole or in part, without express written permission of RSP Architects. These are available for limited review and evaluation by clients, consultants, contractors, government agencies, vendors and office personnel only in accordance with this Notice. © Copyright RSP Architects 2011. All rights reserved.







Suite 113


Eden Prairie, MN 55344





Date 11/17/2011





LONG TERM/INTERMEDIATE

LOCATION 4801 VETERANS DR. SAINT CLOUD, MN

PSYCHIATRIC UNIT

UTP PATCH CORD BY DIV. 27.

SECURITY JUNCTION BOX,

SURFACE MOUNT 4X4 BOX ON

1/2" C. FROM DOOR FRAME TO

— 1/2" C. TO SECURITY JUNCTION

RECESSED SPECIAL BACKBOX PROVIDED BY SECURITY CONTRACTOR. ELECTRICAL

CONTRACTOR TO INSTALL BACKBOX

AT 54" AFF FOR INTERCOM STATION

BOX BY DIV. 26.

OSP RATED UTP PATCH

EXTERIOR WALL

MOUNTED CAMERA

AND DOME BY DIV. 28

CORD BY DIV. 27

SECURITY JUNCTION BOX BY DIV. 26 FOR REMOTE DOOR RELEASE

SECURE SIDE OF DOOR BY DIV. 26.

UTP CABLE TO TELE-

DETAILS. ACC. <u>CLG</u>

UTP CABLE TO TELE- COMMINCATIONS ROOM BY DIV. 27. SEE SPECIFICATIONS FOR

UTP OUTLET BY DIV. 27.

EXTERIOR WALL

DETAILS. PROVIDE 10' COIL FOR SLACK.

CONDUIT TO

BY DIV. 26.

RECESSED -

BOX BY DIV. 26

EXTERIOR BOX